



**Clause – 28:** Sanitary arrangements will be made by the contractor at his own cost for his labour camp.

**Clause – 29:** The contractor shall bear all taxes including V.A.T; Income tax, royalty, fair-weather charges and tollage etc., where necessary.

**Clause – 30(a) (i):** If during the progress of the work, The price of any material(excluding the cost of steel, Cement& Bitumen) incorporated in the work ( not being materials supplied from the Engineer –in-charge's store in accordance with clause hereof) increases or decreases as a result of increase or decrease in the average wholesale price index(all Commodities), and the contractor there upon necessarily and properly pays in respect of that material (incorporated in the work) such increased or decreased price, then he shall be entitled to reimburse or liable to refund, quarterly as the case may be such an amount as shall be equivalent to the plus or minus difference of 75 % in between the average wholesale price index (all Commodities) which the tender was opened as per the formula indicated below provided that the work has been carried out within the stipulated time or extension thereof as are not attributable to him,

i) **Formula to calculate the increase or decrease in the price cost of labour**

$$VI = \frac{0.75}{100} PI \times R \frac{(i-io)}{io}$$

VI = increase or decrease in hour cost of work during the quarter under consideration due to changes in the rate of labour

R = The value of work done in rupees during the quarter under consideration

io = The cost of minimum wages for the quarter in which the tender was opened.

I = The cost of minimum wages for the quarter in which under consideration..

PI = Percentage of labour component (specified in schedule of analysis) of the item

(b) Similarly, if during the progress of work the wages of labour increase as a result of increase or decrease in the cost of minimum wages and the contractor thereupon necessarily and properly pays in respect of labour engaged on execution of the work such increased or decreased wages. then he shall entitled to reimbursement or liable if refund quarterly as the case may be such an amount as shall be equivalent to the plus or minus deference in between minimum wages which is operating for the quarter under consideration and that operated for the quarter in which the tender was opened as per formula indicated below provided that the work has been carried out with 1 stipulated time or extension thereof as are not attributable to him.

ii) **Formula to calculate the increase in the price of materials**

$$VM = \frac{0.75}{100} PM \times R \frac{(i-io)}{io}$$

VM = increase or decrease in hour cost of work during the quarter under consideration due to changes in the price of materials

R = The value of work done in rupees during the quarter under consideration

io = The average wholesale price index(all commodities) for the quarter in which the tenders were opened(as published in R.B.I. Bulletin from time to time

I = The average wholesale price index (all commodities) for the quarter underconsideration.

PM = Percentage of materials component as per sub-clause of this clause.

**Additional Clause for 30(b):** Price adjustment and reimbursement of claim for escalation on labour under clause 30(b) will be applicable only if there is any increase or decrease in the minimum wage of the state Government.

(c) Similarly if during the progress of work the price of Petrol, OIL and Lubricants, Diesel oil being the representative item for price adjustment increase or decrease a result of the price foxed thereof by the Government of India and the contractor them necessarily and property pays such increased or decreased price towards Petrol and Lubricants used on execution of the work then he shall be entitled to reimbursement or liable to refund quarterly as the case may be such an amount as shall be equivocated to the plus or minus deference in between the price of P.O.L. which

Contractor

Block Development Officer, Balpariguda  
Balpariguda, Dist: Koraput

10/10/17



is operating for quarter under consideration and that operated for the quarter in which tender was opened as per formula indicated below

**ii) Formula to calculate the increase or decrease in the price of P.O.L**

$$V_1 = 0.75 \frac{0.75 \times K_2}{100} \times R \frac{(D_2 - D_1)}{D_1}$$

K1 = increase or decrease in the cost of work during the quarter under consideration due to changes in the price of P.O.L.

R = The value of work done in rupees during the quarter under consideration

D<sub>1</sub> = Average price per liter of diesel oil which is fixed by the Government of India during the quarter in which the tender was opened.

D<sub>2</sub> = Average price per liter of diesel oil which was fixed during the quarter consideration

K<sub>2</sub> = Percentage of P.O.L component as per sub-clause of this clause.

(d) The following shall be the percentage of material, labour and P.O.L component for reimbursement/refund on variation in price of material, labour and P.O.L as per sub clause (a) (b) (c) of this clause

Category of Work	Contractors supply			Departmental supply of materials
	% of Materials	% of labour	% of P.O.L	
1	2	3	4	5
<b>IRRIGATION WORKS</b>				
a) Structural works	20%	30%	5%	45%
b) Earth work, canal work	20%	60%	5%	15%
<b>R &amp; B WORKS</b>				
a) Bridge works	20%	30%	5%	45%
b) Road works	45%	40%	5%	10%
c) Building works	30%	30%	5%	35%

\*Where brick is supplied by the Department, it should be 20% instead of 30% as per EIC (Civil) Orissa Letter No 4 735 dt.17.2.2001)

(e) Reimbursement/ refund on variation in price of materials, Labour and P.O.L as Sub clauses (a) (b) and (c) of this clause shall be applicable only in respect of contract of one year or more provided that the work has been carried out with in stipulated time or extension thereof as or not attributable to contractor. However where the original contractual period is less than one year but subsequently it has been validity extended and the period becomes one year on more escalation clause shall be applicable only for the balance portion of work to be executed beyond one year provided the delay is not attributable to the contractor.


(f) The contractor shall for the purpose of sub clauses (a) (b) and (c) of this clause keep such books of account and other documents as are necessary to show the amount of increase or reduction available and shall allow inspection of the same by a duly authorized representative of government and further shall at the request of the Block Development Officer, furnish, verify in such manner as the Block Development Officer may require and document kept and such other information as the Development Officer may require.

The contractor shall within a reasonable time of his becoming aware of any alternation in the price such

Contractor

Block Development Officer,  
Boppariguda, Dist. Koraput

10/10/20



materials, wages of labour and/ or price of P.O.L. give notice thereof to the Block Development Officer that the same is given pursuant to this condition together with an information relating thereof which ma in a position supply.

Clause 31- After the work finished all surplus Materials and debris are to be removed by the contractor and preliminary work such as vats, mixing platforms etc. are to be dismantled and all mate remove from this site. The ground up to 30 mtrs. (100' 0") wide from the building should be cleared and dressed,

#### FAIR WAGE CLAUSE

**Clause – 32 (a):-** The contractor shall not employ for the purpose of this contract any person who is below the age of twelve years and shall pay to each labourer for work by such labourers fair wages.

**EXPLANATION –** Fair wages means, wages, whether for time or piece work prescribed by the state P.W.D. provided that where higher rates have been prescribed under the minimum Wages Act, 1948, wages at such higher rates would constitute Fair Wages.

The Block Development Officer shall have the right to enquire into and decide any complaint alleging that the wages paid by the contractor to any labourer for the work done by such labourer is less than the wages as per sub paragraph 1 above.

(b) The Contractor shall, notwithstanding the provision of any contract to contrary, cause to be paid a fair wage to labourers indirectly engaged on the work including any labour engaged by his sub-contractors in connection with the said work as if the labourers had been immediately employed by him.

(c) In respect of all labour directly or indirectly employed in the work for the performance of the contractor's part of this agreement, the contractor shall comply with or cause, to be complied with all regulation made by the Government in regard to payment of wages, wage period, deductions from wages, recovery of wages not paid and deductions unauthorized made, maintenance of wage register, wage cards, publications of scale of wages and other terms of employment, inspection and submission of periodical returns and all other matters of a like nature.

(d) The Block Development Officer or Sub – Divisional Officer concerned shall have the right to deduct from the money due to the contractor any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non – fulfillment of the conditions of the contract for the benefit of the workers, non – payment of wages or of deductions made from his or their wages, which are not justified by their terms of the contract or non-observance of the regulations. Money so deducted should be transferred to be workers concerned.

(e) Vis-à-vis, the Government of Odisha, the contractor shall be primarily liable for all payments to be made under and for the observance of the regulations aforesaid without prejudice to his right to claim indemnity from his sub-contractor.

(f) The regulations aforesaid shall be deemed to be a part of this contract and any breach thereof shall be breach of this contract.

(g) Under the provision of the Minimum Wages Act, 1948 and the Minimum Wages (Central Rules, 1950) the contractor is bound to allow or cause to be allowed to the labourers directly or indirectly employed in the work one day rest for six days continuous work and pay wages at the same rates as for duty. In the event of default, the Block Development Officer or Sub – Divisional Officer concerned shall have the right to deduct the sum not paid on account of wages for weekly holiday to any labourer and pay the same to the persons entitled thereto from any money due to the contractor.

(h) The contractor shall at his own expenses provide or arrange for the provision of foot wear for any labourer doing cement mixing work and black topping of roads (the contractor has undertaken to execute under this contract) to the satisfaction of the Engineer-in-charge and on his failure to do so, Government shall be entitled to provide the same and recover the cost from the contractor.

(i) The contractor shall submit by the 4<sup>th</sup> & 19<sup>th</sup> of every month to the Engineer – in – charge, a true statement showing in respect of the second half of the preceding month and the first half of the current month respectively, (1) the number of labourers employed by him on the work (2) their working hour (3) the wages paid to them (4) the accident that occurred during the said fortnight showing the circumstances under which they happened and the extent of damage and injury caused by them and (5) the number of female workers who have been allowed maternity benefit according to clause (k) and (6) and the amount paid to them failing which the contractor shall be liable to pay to government a sum not exceeding Rs.50.00 for each default or materially in correct statement. The decision of the Executive Engineer shall be final in deducting from any bill due to contractor amount levied as fine.

(j) In respect of all labour, directly or indirectly employed in the works for performance of the contractor's part of this agreement, the contractor shall comply or cause to be complied with all the rules framed by Government from time to time for the protection of health and sanitary arrangements for workers employed by the Odisha Public Works Department and its contractors. This will apply to work places having 50 or more workers.

(k) Maternity benefit rules for female workers employed by contractor. Leave and pay during leave shall be regulated as follows

Contractor

Block Development Officer  
Belpingla, Dist. Koraput

10/10/22



- 1. **Leave:** (i) in case of delivery Maternity leave not exceeding 8 weeks, 4 weeks up to including the day of delivery or 4 weeks following the day  
(ii) In case of Miscarriage: Up to 3 weeks from the date of miscarriage
- 2. **Pay:** (i) in case of delivery: Leave pay during maternity leave will be at the rate of the women's average daily earnings calculated on the total wages earned on the days when full time work has done during a period of three months immediately preceding the date of which she gives notice that she expects to be confined or at the rate of twelve annals a day whichever is greater.

(ii) In case of Miscarriage : Leave pay at the rate of average daily earnings calculated on the total wages earned on the days when full time work has done during a period of three months immediately preceding the date of such miscarriage

**3. Conditions of the grant of maternity leave:** No maternity leave benefits shall be admissible to a women unless she has been employed for a total period not less than 6 months immediately preceding the date on which she proceeds on leave.

**Model Rules for Health & sanitary Arrangements for Worker Employed by Odisha P.W/D or its Contractors**

- 1) **Application:**-These rules shall apply to all construction work in charge of Odisha Public Works Department which are expected to continue or a year more.
    - 2) **Definition** (i) "work place" means a place at which an average of five or more than worker employed in connection with construction work.  
(ii) **Large work place** means a place at which an average of 500 more workers are employed in connection with construction work.
  - 3) **First Aid** :- (a) At ever work placethere shall be maintained a ready accessible place First-Aid appliances including adequate supply of sterilize cotton wool. The appliances shall be kept in good order in large work places they shall be ready available during work hours.  
(b) At large work places where hospital facilities are not available within easy distance of the workers first aid posts shall be established and run by trained compounder.  
(c) Where large work place is remote from regular hospitals an Indore ward shall be provided with one bed forevery 250 employees.  
(d) Where large work places are situated in cities, towns or their suburb and no beds are considered necessary owing to the proximity of city, town, and ambulance shall be provided to facilities removal of urgent cases to the hospitals. At the work place some conveyance facilities such a car shall be kept ready available to take injured person or persons suddenly taken seriously ill to the nearest hospitals.
  - 4) **Drinking water:**- (a) in ever work place there shall be provided and maintained at suitable places easily accessible to labour, a sufficient supply of water fit for drinking.  
(b) Where drinking water is obtained from intermittent public water supply each work place shall be provided with storage where such drinking water shall be stored.  
(c) Every water supply of storage shall be at a distance of not less than 50 feet from any latrine, drain of other source of pollution. Where water has to be drawn from existing well which is within such proximity of latrine, drain or any other source of pollution, the well shall be properly chlorinated before water is drawn from it for drinking. All such walls shall be entirely closed in and provided with a trap door which shall be dust and waterproof.  
(d) A reliable pump shall be fitted to each covered well, the trap door shall be kept locked and opened only for cleaning or inspected which shall be done at least once a month.  
(e) The temperature of drinking water supplied to workers shall not exceed 90°F.
  - 5) **Washing and bathing place** (i) adequate washing and bathing places shall be provided separately for men and women.  
(ii) Such places shall be kept in clean and drained condition.
1. **Scale of accommodation in Latrines and Urinals:** These shall be provided within the premises of every work place latrines and urinals in an accessible place and the accommodation separately for each of them shall not be less than the following
 

a) Where the number of person employed does not exceed 50	Nos. of seats 1
b) where the number of person employed does exceed 50	Nos. of seats 3 but dos not exceed 100
c) Foe every additional 100	Nos. of seats 3 per 100

 (In particular cases, The Block Development Officer shall have power to vary the scale where necessary)
  2. **Latrines and Urinal for women** : If women are employed separate latrines and urinals separate from that for men and marked in the vernacular in conspicuous letter " for women only" shall be provided on scale laid in rules  
Those foe men shall be similarly marked "for men only". A poster showing the figure of men and women shall be exhibited at the entrance

Contractor

**Block Development Officer**  
 Belparguda, Dist: Koraput

3. **Latrine and urinals** : Expect work place provide with water flushed latrines connected with a water borne sewerage system all latrines shall provide with receptacle or dry-earthen system which shall be cleaned at least four times daily and at least twice during working hours and kept in a
4. **Construction of Latrines** : The inside wall be constructed of masonry or stone materials & shall be cement washed inside and outside & at least once a year the dates of cement washing shall be noted in the register maintained for this purpose and kept available for inspection.
5. **Disposal of Excretion**: Unless otherwise arranged for by the local sanitary authorities arrangements for proper disposal of excreta by incinerator at the work place shall be made by means of a suitable incinerator approved by Asst. Director of Public Health or Municipal Medical Officer Health at the case may be in whose jurisdiction the work place situated. Alternatively excreta may be disposed off by putting a layer of night soil at the bottom of pucca tank prepared for the purpose and covered it with 6" layers of waste or refuse and then covering it up with layer of earth fir a fortnight ( when it will turn into manure
6. **Provision of shelters during rest**: At every work place there shall be provided free or cost two suitable sheds one for meals and the other for rest for use of labourers. The height of the shelter shall not be less than 11 feet from the floor level to the lowest part of roof.
7. **Crèche** : (a) At every work place at which more than 50 women workers are employed there shall be provided only one hut for use of children under age of 6 years, belonging to such women and shall be used for infant's game and play and their bed room, the huts shall not be constructed on a lower slandered than following.
- i) Thatched roofs
  - ii) Mud floors and walls
  - iii) Plants spread over the mud floor and covered with matting
- The hut shall be provided with suitable and sufficient opening for light and ventilation. There shall be adequate provision for sweeper to keep the place clean. There shall be two dhais attendance sanitary utensils shall be provided to the satisfaction of Health Officer of the area concerned. The use of the hut shall be restricted to children their attendants and mothers of children.
- b) Where the number of women workers is more than 50, the contractor shall provide one hut and one dhai to look after the children of women workers.
  - c) The size of crèche shall vary according to the number of workers.
  - d) The crèche shall be properly maintained and necessary equipment like toys etc. shall be provided.
8. **Canteen**: A cooked food canteen on a moderate scale shall be provided for the benefit of workers whenever it is considered expedient.

  
10/10/22  
Block Development Officer  
Boipariguda, Dist: Koraput



**ODISHA P.W.D. / ELECTRICITY DEPARTMENT CONTRACTOR'S LABOUR REGULATIONS**

- 1. Short title:** These regulations may be called "The Odisha Public Works Department/Electricity Department contractors Regulations."
- 2. Definitions:** In these Regulations unless otherwise expressed or indicated the following words and expression shall have the meaning hereby assigned to them respectively, that is to say.
1. "Labour" means worker employed by a contractor of the Odisha Public Work Department / Electrical Department directly / indirectly through a sub – contractor or other person, or by an agent on his behalf.
  2. "Fair Wages" means wages whether for time or piece work prescribed by the State Public Works Department provided that where higher rates have been prescribed under the Minimum Wages Act 1948, wages at such higher rates should constitute fair wages.
  3. "Contractor" shall include every person whether a sub-contractor or headman or agent employing labour on the work taken on contract.
  4. "Wages" shall have the same meaning as defined in the Payment of Wages Act and include time and piece rate wages, if any.
- 3. Display of notice regarding wages, etc.:-**  
The contractor shall:-
- (a) Before he commences his work on contract, display and correctly maintain and continue to display and correctly maintain, in a clean and legible condition, in conspicuous place on the work, notices in English and in the local Indian language spoken by the majority of the workers, giving the rate of wages prescribed by the State Public Works Department/ Electricity Department for the district in which the work is done.
  - (b) Send a copy such notices to the Engineer – in – charge of the work.
- 4. Payment of wages:-**
1. Wages due to every worker shall be paid to him direct.
  2. All wages shall have to be paid in current coin or currency or in both.
- 5. Fixation of wage period:-**
- (1) The contractor shall fix the wage period in respect of which the wages be payable.
  - (2) No wage period shall exceed one month.
  - (3) Wages of every workman employed on the contract shall be paid before the expiry of ten days after the last day of the wage period in respect of which the wages are payable.
  - (4) When the employment of any worker is terminated by or on behalf of the contractor, the wages earned by him shall be paid before the expiry of the day succeeding the one on which his employment is terminated.
  - (5) All payments of wages shall be made on working day.
- 6. Wage book and wage cards etc.**
- (a) The contractor shall maintain a Wage book of each worker in such form as may be convenient, but the same shall include the following particulars. :
    - a. Rate of daily or monthly wages.
    - b. Nature of work on which employed.
    - c. Total number of days worked during each wages period.
    - d. Total amount payable for the work during each wage period.
    - e. All deductions made from the wages with an indication in each case of the ground for which the deduction is made.
    - f. Wage actually paid for each wage period.

Contractor

Block Development Officer,  
Boipariguda, Dist: Koraput

Block Development Officer  
Boipariguda, Dist: Koraput



- (2) The contractor shall also maintain a wage card for each worker employed on the work.
- (3) The Executive Engineer may grant an exemption from the maintenance of wage bond, wage cards to a contractor who in his opinion may not directly or indirectly employ more than 100 persons on the work.

**7. Fines and deductions which may be made from wages:-**

- (1) The wage of a worker shall be paid to him without any deduction of any kind except the following.
  - (a) Fines
  - (b) Deduction for absence from duty, i.e. from the place or places where by the terms of his employment he is required to work. The amount of deductions shall be in proportion to the period for which he was absent.
  - (c) Deduction for damage or loss of goods expressly entrusted to the employed person for custody, or for loss of money for which he is required to account where such damage or loss is directly attributable to his neglect or default.
  - (d) Any other deductions which the Government may from time to time allow.
- (2) No fines shall be imposed on a worker and no deduction for damage or loss shall be made from his wages until the worker has been given an opportunity for showing cause against such fines or deduction.
- (3) The total amount of fines which may be imposed in anyone wage period on a worker shall not exceed an amount equal to five paise in a rupee of the wages payable to him in respect of that wage period.
- (4) No fine imposed on any worker shall be recovered from him by installments or after the expiry of 60 days from the date on which it was imposed.

**8. Register of fines, etc.:-**

- (1) The contractor shall maintain a register of fines and of all deductions for damage or loss. Such register shall mention the reason for which fine was imposed or deduction for damage or loss was made.
- (2) The contractor shall maintain a list in English and in the local Indian language clearly defining acts and omissions for which penalty or fine can be imposed. It shall display such list and maintain it in a clean and eligible condition in conspicuous places of the work.

**9. Preservation of register:-**

The wage registers, the wage cards and the register of fines, deductions required to be maintained under these regulations shall be preserved for 12 months after date of the last entry made in them.

**10. Power of Labour Welfare Officers to make investigation/ inquiry:-**

The Labour Welfare Officer or any other persons authorized by the Government of Odisha on their behalf shall have power to make enquiries with a view to ascertaining and enforcing due and proper observance of the fair wage clauses and the provisions of the regulations. He shall investigate into any complaint regarding default made by the contractor/Sub-contractor in regard to such provisions.

**11. Report of Labour Welfare Officer:-**

The Labour Welfare Officer or other authorized as aforesaid shall submit a report of the result of his investigation or enquiry to the Executive Engineer concerned indicating the extent, if any, to which the default has been committed with a note that necessary deduction from the contractor's bill be made and the wages and the other dues be paid to the labourers concerned.

**12. Appeal against the decision of Labour Welfare Officer:**

Any person aggrieved by the decision and recommendation of the Labour Welfare Officer or other person so authorized may appeal against such decision to the Labour Commissioner within 30 days from the date of decision forwarding simultaneously a copy of his appeal to the Executive Engineer concerned but subject to such appeal, the decision of the officer shall be final and binding upon the contractor.

**13. Inspection of Registers:-**

The contractor shall allow inspection of the wage book and wage cards to any of his workers or to his agent at a convenient time and place after due notice is received, or to the Labour Commissioner or any other person authorized by the Government of Odisha on his behalf.

**14. Submission of return:-**

The contractor shall submit periodical returns as may be specified from time to time.

**15. Amendment:-**

Government of Odisha may from time to time, add to or amend these regulations. On any question as to the application, interpretation on effect of these regulations, the decision of the Labour Commissioner or any other person authorized by the Govt. of Odisha on that behalf shall be final.

**BANK GAURANTEE**

Before issue of the Departmental materials to him the contractor shall furnish Bank guarantee of any of the Nationalized Banks for a sum equal to the cost of materials. The Bank guarantee should be valid for the entire period of agreement. The same may be refunded to the contractor only after the materials supplied are fully utilized in the work and

Contractor

Block Development Officer  
Borpariguda, Dist: Koraput

cost thereof recovered from his bill(s) in full or if the materials are partly utilized, the un utilized materials are returned by him to the Department in full in good condition and receipt there of duly acknowledged by concerned Department Officer.



**CERTIFICATE BY THE CONTRACTOR**

The terms and conditions of the Detailed Tender Call Notice, F-2 agreement and its additional / special conditions have been read and explained to me and I/ we certify that I/ we clearly understand them.

**Signature of Contractor**

(Full Name in Block Letters)

With Postal and Telegraphic Address

Permanent Address

Present Address

Contractor

  
**Block Development Officer**  
**Boipariguda, Dist: Koraput**  
 Block Development Officer, Boipariguda



## ANNEXURE -I

CERTIFICATE TO BE ISSUED BY THE BLOCK DEVELOPMENT OFFICER UNDER WHOM THE MACHINERIES /  
EQUIPMENTS ARE DEPLOYED  
(Not issued prior to 90 days tender)

Sl. No	Name of Machineries/ Equipment	Identification No/Engine/ Chasis No.	Capacity	Year of purchase	Condition (working/break down)	Since when deployed under whom	When it is likely to be released from current assignment

Certified that

1. I have verified the ownership documents with identification No of the Machineries /Equipment.
2. Machineries are currently utilized exclusively for the work under the Division.
3. The facts provided are true as on the date of issue of this document to the best of my knowledge.

*NA*  
10/10/22  
Block Development Officer  
BLOCK DEVELOPMENT OFFICER,  
Boipariguda, Dist: Koraput

Contractor

Block Development Officer, Boipariguda



**ANNEXURE-II**  
**NO RELATIONSHIP CERTIFICATE**

I am to certify that I am not related to any Officer of Panchayati Raj & Drinking Water Department, Odisha of the Rank of Assistant Engineer and above or any Officer of the Rank of Assistant Secretary or above of Panchayati Raj & Drinking Water Department, Odisha.

Witness:

Contractor

  
**Block Development Officer**  
**Boipariguda, Dist: Koraput**  
Block Development Officer, Boipariguda

**CHECK-LIST**

1. Details of cost of tender paper enclosed :-
2. Whether "Bid Security Declaration" furnished/submitted :-
3. Whether enclosed the attested copy of valid Contractor Licence Certificate. If yes, valid up to :-
4. Whether enclosed the attested copy of valid GST Registration Certificate. :-
5. Whether enclosed the attested copy of VAT/GST Clearance Certificate :-
6. Whether enclosed the attested copy of PAN Card :-
7. Whether enclosed attested copy of up-to-date GST return :-
8. Whether enclosed attested copy of up-to-date Income Tax return:-
9. Whether attached the Past Performance Certificates :
10. Whether attached the ownership documents of machineries/ equipments for execution of work :-
11. Whether read all the pages and signed in each page of the tender Documents :-
12. Any additional conditions desired by the contractor's if any :-
13. Whether attached the affidavit declaring the genuineness of all the documents enclosed with the tender :-

Contractor

  
**Block Development Officer**  
**Boipariguda, Dist: Koraput**  
Block Development Officer, Boipariguda

## TENDER SCHEDULE

<b>NAME OF THE WORK :-</b>	: Construction of Block Public Health Unit at Boipariguda of koraput district for the year 2021-22
<b>SCHEME:- XV FC 2021-22</b>	<b>BLOCK:- Boipariguda</b>
<b>Estimated Cost: Rs. 48,00,000/-</b>	<b>G.P:- Boipariguda</b>
<b>AMOUNT PUT TO TENDER:-Rs. - 32,73,191/-</b>	
<b>COST OF TENDER PAPER-RS. - 6,000/-</b>	<b>E.M.D REQUIRED:-Rs. -32800 /-</b>
<b>PERIOD OF COMPLITION:-9 CALENDER MONTHS</b>	<b>CLASS OF CONTRACTOR:-"C" &amp; "B"</b>

Sl. No.	Items of Work	Qty.	Unit	Estimated Cost(In Rs)	
				Rate	Amount
1	2	3	4	5	6
1)	Earth work in hard soil or gravelly soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge.	140.66	One Cum	230.73	Rs. 32,454.48
2)	Supplying and filling in foundation trenches and plinth, ditches with sand well watered and rammed in layers not exceeding 23 cm. in depth with all lead and lift including cost, conveyance, loading, unloading, royalties and taxes of all materials, cost of all labour, sundries, T&P required for the work etc. complete in all respect as per direction by the Engineer in charge.	154.84	One Cum	331.62	Rs. 51,348.04
3)	Providing and laying plain cement concrete of proportion (1:3:6) in foundation and floors using 4 cm. size black hard crusher broken granite stone metal and screened and washed sharp sand for mortar of approved quality and from approved quarry including hoisting, lowering, laying concrete, ramming, watering and curing etc. complete to required levels laid in layers not exceeding 15 cm. thick in each layer including cost, conveyance, royalties, taxes of all materials and cost of all labours, T&P etc complete as per the direction of the Engineer -in -charge.	48.03	One Cum	4349.59	Rs. 208,910.81
4)	Cement concrete (1:2:4) with 12mm size hard granite C.B chips of approved quality free from weathered skins and foreign materials including hoisting,lowering and laying concrete in layers not exceeding 0.15 mtr. in depth, watering and curing 21 days etc complete including cost of all materials, conveyance, royalties, taxes of all materials and cost of all labours, T&P etc complete as per the direction of the Engineer -in -charge.	5.68	One Cum	5744.49	Rs. 32,628.70
5)	Flyash brick masonry in cement mortar (1:6) in Plinth & foundation using Flyash bricks of 23cmX 11cm X 8cm size having a crushing strength of not less than 75 kg./sq.cm including splays cutting, circular moulding, chamfering and cur belling, watering and curing etc. complete including cost, conveyance, royalty, taxes of all the materials required for the work with all labour, T&P and cess etc. complete in all respect as per specification and direction of the Engineer-in-charge.	21.96	One Cum	4104.30	Rs. 90,130.43

6)	R.C.C. work with M-20 grade In Different Works having minimum compressive strength in work test of 200 Kg/Cm <sup>2</sup> at 28 days using 20 mm and down graded size black hard crusher broken granite stone chips of approved quality and from approved quarry including hoisting lowering and laying concrete and compacting by using vibrators watering, curing for 28 days, centring & shuttering and finishing the exposed surface smooth providing grooves or beads where necessary in all floors including cost, conveyance, royalties and taxes of all materials , cost of all labour with cost of all T&P required for the work etc. complete in all respect but excluding cost and conveyance of M.S. rods or steel & binding wires and labour charges for strengthening, cutting, bending grills and placing in proper position.					
6.1)	<b>Footing</b>	20.44	One Cum	4736.62	Rs.	96,816.51
6.2)	<b>Plinth Beam</b>	7.14	One Cum	5104.78	Rs.	36,448.13
6.3)	<b>Column</b>					
i)	Ground floor	3.02	One Cum	12141.70	Rs.	36,667.93
ii)	First floor	3.02	One Cum	13740.92	Rs.	41,497.58
iii)	Second floor	1.11	One Cum	15655.63	Rs.	17,377.75
6.4)	<b>Lintel</b>					
i)	Ground floor	2.29	One Cum	8331.02	Rs.	19,078.04
ii)	First floor	2.38	One Cum	9168.06	Rs.	21,819.98
6.5)	<b>Chajja</b>					
i)	Ground floor	7.20	One Sqm	785.20	Rs.	5,653.44
ii)	First floor	8.10	One Sqm	888.34	Rs.	7,195.55
iii)	Second floor	1.20	One Sqm	1011.84	Rs.	1,214.21
6.6)	<b>Roof Beam</b>					
i)	Ground floor	6.54	One Cum	10629.11	Rs.	69,514.38
ii)	First floor	5.86	One Cum	11925.83	Rs.	69,885.36
iii)	Second floor	0.77	One Cum	13477.52	Rs.	10,377.69
6.7)	<b>Roof Slab</b>					
i)	Ground floor	12.20	One Cum	9011.31	Rs.	109,937.98
ii)	First floor	10.70	One Cum	9984.43	Rs.	106,833.40
iii)	Second floor	1.15	One Cum	11147.90	Rs.	12,820.09
6.8)	<b>Stair case</b>					
i)	Ground floor	1.91	One Cum	10107.73	Rs.	19,305.76
ii)	First floor	1.91	One Cum	11300.16	Rs.	21,583.31
7)	Providing, Straightening cutting, bending bent up or coiled rods, including cranking, hooking, welding or jointing the M.S. rods or tor conforming to I.S. 432 (Plain) and 1785 (Tor) steel and binding, tying the grills, hoisting, lowering and placing in proper position required for R.C.C. works including cost, conveyance and taxes of M.S. rods or tor steel and binding wires of 18 to 20 gauge and cost of all labour with all T&P required for the work etc. complete as directed by the Engineer- in-Charge.					
(a)	Ground floor	49.03	One Qntl	8594.94	Rs.	421,409.91
(b)	First floor	29.32	One Qntl	8619.32	Rs.	252,718.46

(c)	Second floor	4.04	One Qntl	8644.90	Rs.	34,925.40
8)	Flyash brick masonry in cement mortar (1:6) in Super structure using Flyash bricks of 23cmX 11cm X 8cm size having a crushing strength of not less than 75 kg./sq.cm including splays cutting, circular moulding, chamfering and cur belling, watering and curing etc. complete including cost, conveyance, royalty, taxes of all the materials required for the work with all labour, T&P and cess etc. complete in all respect as per specification and direction of the Engineer-in-charge.					
(a)	Ground floor	33.61	One Cum	4137.63	Rs.	139,065.74
(b)	First floor	36.90	One Cum	4410.87	Rs.	162,761.10
(c)	Second floor	13.07	One Cum	4725.10	Rs.	61,757.06
9)	Providing 16mm thick cement plaster with CM (1:6) with screened and washed sharp sand for mortar and finished smooth to the rough surface of walls in all heights after racking out joints including watering and curing, rounding of corners, provideing grooves where ever necessary with cost, conveyance, royalties and taxes of all materials with cost of all labour, T&P and scaffolding required for the work etc. complete in all respect as directed by the Engineer-in-Charge.					
(a)	Ground floor	265.98	One Sqm	200.73	Rs.	53,390.17
(b)	First floor	256.67	One Sqm	205.77	Rs.	52,814.99
(c)	Second floor	24.80	One Sqm	210.96	Rs.	5,231.81
10)	Providing 12mm thick cement plaster with CM (1:6) with screened and washed sharp sand for mortar and finished smooth to the rough surface of walls in all heights after racking out joints including watering and curing, rounding of corners, provideing grooves where ever necessary with cost, conveyance, royalties and taxes of all materials with cost of all labour, T&P and scaffolding required for the work etc. complete in all respect as directed by the Engineer-in-Charge.					
(a)	Ground floor	180.38	One Sqm	140.17	Rs.	25,283.86
(b)	First floor	180.38	One Sqm	145.82	Rs.	26,303.01
(c)	Second floor	101.25	One Sqm	151.76	Rs.	15,365.70
11)	Providing 2.5cm thick Grading Concrete over roof slab with cement concrete (1:2:2) using 6mm size black hard granite crusher broken chips and screened & washed sharp sand for mortar and finished smooth to the rough surface of slab including watering and curing with cost, conveyance, royalties and taxes of all materials with cost of all labour, and T&P required for the work etc. complete in all respect as directed by the Engineer in charge.					
(a)	First floor	107.23	One Sqm	321.64	Rs.	34,489.46
(b)	Second floor	12.11	One Sqm	354.69	Rs.	4,295.30

12)	Supplying, fitting and fixing vitrified tiles(Homogeneous) in floor of size 600mm x 600mm of approved make conforming to IS: 13755 laid on 20mm thick bed of C.M. (1:4) (1 cement: 4 course sand) and filling the joints with white cement of approved quality including cost of all materials, conveyance, taxes, labour, T&P etc. required for the work in all respect as directed by Engineer in Charge.				
(a)	Ground floor	58.76	One Sqm	958.13	Rs. 56,299.72
(b)	First floor	58.76	One Sqm	968.19	Rs. 56,890.84
13)	Supplying, fitting & fixing of Granite tiles laid on 20mm thick bed of C.M. (1:4) (1 cement: 4 course sand) and filling the joints with white cement of approved quality including cost of all materials, conveyance, taxes, labour, T&P etc. required for the work in all respect as directed by Engineer in Charge.				
(a)	Ground floor	6.01	One Sqm	2295.03	Rs. 13,793.13
(b)	First floor	4.27	One Sqm	2305.09	Rs. 9,842.73
14)	Supplying, fitting, fixing of Vitrified industrial floor Tile of premium grade having thickness 8mm to 10mm confirming to IS 4457 of size 300mmx300mm tile in floors over 20mm thick bed of C.M. (1:4) (1 cement: 4 course sand) and filling the joined with neat cement slurry mixed with pigment to match the shade of tiles, rubbing, polishing including cost of tiles, conveyance, taxes & labour, T&P and cess etc. complete in all respect as per specification and direction of the Engineer-in-charge.				
(a)	Ground floor	10.40	One Sqm	847.47	Rs. 8,813.69
(b)	First floor	25.40	One Sqm	857.53	Rs. 21,781.26
15)	Providing fitting & fixing of Ceramic tiles having size 20cmx30cm special plain ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753 in dado on 12mm thick cement plaster (1:3) (1cement : 3sand) joined with neat cement slurry mixed with pigment to match the shade of tiles, rubbing, polishing including cost of tiles, conveyance, taxes & labour, T&P and cess etc. complete in all respect as per specification and direction of the Engineer-in-charge				
(a)	Ground floor	116.76	One Sqm	753.51	Rs. 87,979.83
(b)	First floor	24.58	One Sqm	768.64	Rs. 18,893.17
16)	Supplying, fitting and fixing of Stainless steel of 304 grade in hand railing using 50mm dia of 2mm thick circular pipe with Balustrade of size 32mm x 32mm x 2mm @ 0.90mtr. C/C and stainless square pipe bracing of size 32mm x 32mm x 2mm in 3 rows in stair case as per approved design and specification, buffing, polishing etc with cost, conveyance, taxes of all materials, cost of all labour, T&P etc. required for the complete in all respect as per direction of the Engineer-in-charge.				
(a)	Ground floor	73.36	One Kg	287.45	Rs. 21,087.33
(b)	First floor	73.36	One Kg	287.45	Rs. 21,087.33
17)	Priming one coat to wall surface using oil bound cement primer including cost, conveyance all materials, labour and T & P etc complete.				

(a)	Ground floor	212.39	One Sqm	60.38	Rs.	12,824.11
(b)	First floor	297.29	One Sqm	61.87	Rs.	18,393.33
(c)	Second floor	24.80	One Sqm	63.42	Rs.	1,572.82
18)	Painting two coats with approved weather coats (I.S.I) paint (1st quality) exterior grade of approved make & shade manufactured by reputed manufacture like Nerolac/ Asian/ Berger/ Dulux or equivalent to make an even finished surface over a coat of primer with oil bond cement primer in all heights with all scaffolding and staging charges including, cost, conveyances, taxes of all materials and cost of all labour with T&P etc, complete as per specification & direction of Engineer-in-charge.					
(a)	Ground floor	180.38	One Sqm	132.83	Rs.	23,959.88
(b)	First floor	180.38	One Sqm	137.85	Rs.	24,865.38
(c)	Second floor	13.07	One Sqm	143.14	Rs.	1,870.84
19)	Finishing wall surface of walls with Acrylic wall putty (Cement based ) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes, labour T&P etc complete.					
(a)	Ground floor	212.39	One Sqm	67.52	Rs.	14,340.57
(b)	First floor	297.29	One Sqm	68.89	Rs.	20,480.31
(c)	Second floor	24.80	One Sqm	70.31	Rs.	1,743.69
20)	Painting two coats with approved emulsion paint (I.S.I) paint (1st quality) of approved make & shade manufactured by reputed manufacture like Nerolac/ Asian/ Berger/ Dulux or equivalent to make an even finished surface in all heights with all scaffolding and staging charges including, cost, conveyances, taxes of all materials and cost of all labour with T&P etc, complete as per specification & direction of Engineer-in-charge.					
(a)	Ground floor	212.39	One Sqm	78.84	Rs.	16,744.83
(b)	First floor	297.29	One Sqm	80.47	Rs.	23,922.93
(c)	Second floor	24.80	One Sqm	82.14	Rs.	2,037.07
21)	Painting two coats with synthetic enamel paint of approved shade over a coat of primer to new iron doors & windows and grills including sand papering, polishing the surface smooth to give an even shade with cost of paints, conveyance, taxes of all materials and labour with T&P required for the work etc. complete as per the direction of EIC					
(a)	Ground floor	69.64	One Sqm	138.29	Rs.	9,630.52
(b)	First floor	73.60	One Sqm	141.86	Rs.	10,440.90
(c)	Second floor	6.12	One Sqm	145.55	Rs.	890.77
22)	Providing , fitting & fixing of Al. door with OEL anodized Al. door section of 9202 as vertical member, 9201 as top member and 9200 as bottom and middle member and 12mm thick prelaminated board in bottom and top portion fixed on door frame by means of tapered clip No.4660 and frame to be completed bt means of jointing angle No.1855 including all cost of labour T & P hire charges of drilling machine labour charges etc complete.	487.96	One Kg	433.80	Rs.	211,677.05

23)	Supplying, fitting, fixing up window (sliding type) made up aluminum Section 9778 as windows frame, section No.4095, 4096 & 9777, 3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including lucking arrangement including all fitting including cost of materials all taxes, cess labour, T&P but excluding cost of glass etc. complete and as per direction of Engineer-in-charge.	134.67	One Kg	598.80	Rs.	80,640.40
24)	Supplying, fitting and fixing of 5 mm thick black glass (I.S.I) in aluminium window frames including cutting grooves etc. complete in all floors and as per direction of Engineer-in-charge.	40.03	One Sqm	552.34	Rs.	22,110.17
25)	Supplying, fitting and fixing of 12 mm Pre-laminated Particle Board (standard type) I.S.I in aluminium frames including cutting grooves etc. complete in all floors and as per direction of Engineer-in-charge.	16.65	One Sqm	589.79	Rs.	9,820.00
26)	Supplying, fitting & fixing of 80mm thick Factory made Cement concrete interlocking paver block of M-35 & approved make variety colour & size made by block making machine with strong vibratory compaction of approved design and shape, laid in required colour and pattern over 50mm thick compacted bed of course sand, filling the joints with the sand etc all complete including cost of all materials, all labour with T&P etc required for the work complete in all respect as per the direction of the EIC.	48.76	One Sqm	808.95	Rs.	39,444.40
<b>TOTAL AMOUNT PUT TO TENDER</b>		<b>Total</b>			Rs.	<b>3,273,190.52</b>
		<b>Round To</b>			Rs.	<b>3,273,191.00</b>

NUMBER OF ITEMS:-26(TWENTY SIX) ONLY

(Rupees thirty two lakh seventy three thousand one hundred Ninety one )Only

Remarks:- TENDER RATE QUOTED EXCESS THEN THE ABOVE TENDER AMOUNT WILL NOT BE ACCEPTED

PERCENTAGE RATE TO BE QUOTED BY THE TENDERER:-

\_\_\_\_\_ % LESS

THEN THE ABOVE TENDER AMOUNT PUT TO TENDER  
(QUOTED RATE BOTH IN FIGURE & WORDS CLEARLY)

SIGNATURE OF THE CONTRACTOR

*AD*  
*12/10/22*  
**Block Development Officer**  
**Belparguda, Dist: Koraput**

## TENDER SCHEDULE

NAME OF THE WORK :-		Construction of Labour room at Baligaon Under Boipariguda Block of Koraput District for the year 2020-21			
SCHEME:- NHM PIP 2020-21		BLOCK:-		Boipariguda	
Estimated Cost: Rs. 31,00,000/-		G.P:-		Baligaon	
AMOUNT PUT TO TENDER:-Rs. - 20,41,559/-					
COST OF TENDER PAPER-RS. - 6,000/-		E.M.D REQUIRED:-Rs. - 20500/-			
PERIOD OF COMPLITION:-6 CALENDER MONTHS		CLASS OF CONTRACTOR:-"C" & "B"			
Sl. No.	Items of Work	Qty.	Unit	Estimated Cost(In Rs)	
				Rate	Amount
1	2	3	4	5	6
1)	Earth work in hard soil or gravelly soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge.	124.66	One Cum	230.73	Rs. 28,762.80
2)	Supplying and filling in foundation trenches and plinth, ditches with sand well watered and rammed in layers not exceeding 23 cm. in depth with all lead and lift including cost, conveyance, loading, unloading, royalties and taxes of all materials, cost of all labour, sundries, T&P required for the work etc. complete in all respect as per direction by the Engineer in charge.	92.15	One Cum	509.38	Rs. 46,939.37
3)	Providing and laying plain cement concrete of proportion (1:3:6) in foundation and floors using 4 cm. size black hard crusher broken granite stone metal and screened and washed sharp sand for mortar of approved quality and from approved quarry including hoisting, lowering, laying concrete, ramming, watering and curing etc. complete to required levels laid in layers not exceeding 15 cm. thick in each layer including cost, conveyance, royalties, taxes of all materials and cost of all labours, T&P etc complete as per the direction of the Engineer -in -charge.	40.08	One Cum	4635.75	Rs. 185,800.86
4)	Cement concrete (1:2:4) with 12mm size hard granite C.B chips of approved quality free from weathered skins and foreign materials including hoisting,lowering and laying concrete in layers not exceeding 0.15 mtr. in depth, watering and curing 21 days etc complete including cost of all materials, conveyance, royalties, taxes of all materials and cost of all labours, T&P etc complete as per the direction of the Engineer -in -charge.	6.33	One Cum	6000.73	Rs. 37,984.62
5)	Flyash brick masonry in cement mortar (1:6) in Plinth & foundation using Flyash bricks of 23cmX 11cm X 8cm size having a crushing strength of not less than 75 kg./sq.cm including splays cutting, circular moulding, chamfering and cur belling, watering and curing etc. complete including cost, conveyance, royalty, taxes of all the materials required for the work with all labour, T&P and cess etc. complete in all respect as per specification and direction of the Engineer-in-charge.	21.48	One Cum	4258.48	Rs. 91,472.15

6)	R.C.C. work with M-20 grade In Different Works having minimum compressive strength in work test of 200 Kg/Cm <sup>2</sup> at 28 days using 20 mm and down graded size black hard crusher broken granite stone chips of approved quality and from approved quarry including hoisting lowering and laying concrete and compacting by using vibrators watering, curing for 28 days, centring & shuttering and finishing the exposed surface smooth providing grooves or beads where necessary in all floors including cost, conveyance, royalties and taxes of all materials , cost of all labour with cost of all T&P required for the work etc. complete in all respect but excluding cost and conveyance of M.S. rods or steel & binding wires and labour charges for strengthening, cutting, bending grills and placing in proper position.				
6.1)	<b>Footing</b>	9.48	One Cum	4995.90	Rs. 47,361.13
6.2)	<b>Plinth Beam</b>	5.31	One Cum	5364.07	Rs. 28,483.21
6.3)	<b>Column</b>	3.78	One Cum	12400.99	Rs. 46,875.74
6.4)	<b>Lintel</b>	2.40	One Cum	8590.30	Rs. 20,616.72
6.5)	<b>Chajja</b>	8.82	One Sqm	802.05	Rs. 7,074.08
6.6)	<b>Roof Beam</b>	5.29	One Cum	10888.40	Rs. 57,599.64
6.7)	<b>Roof Slab</b>	12.52	One Cum	9270.60	Rs. 116,067.91
7)	Providing, Straightening cutting, bending bent up or coiled rods, including cranking, hooking, welding or jointing the M.S. rods or tor conforming to I.S. 432 (Plain) and 1785 (Tor) steel and binding, tying the grills, hoisting, lowering and placing in proper position required for R.C.C. works including cost, conveyance and taxes of M.S. rods or tor steel and binding wires of 18 to 20 gauge and cost of all labour with all T&P required for the work etc. complete as directed by the Engineer- in-Charge.	44.39	One Qntl	8603.66	Rs. 381,916.47
8)	Flyash brick masonry in cement mortar (1:6) in Super structure using Flyash bricks of 23cmX 11cm X 8cm size having a crushing strength of not less than 75 kg./sq.cm including splays cutting, circular moulding, chamfering and cur belling, watering and curing etc. complete including cost, conveyance, royalty, taxes of all the materials required for the work with all labour, T&P and cess etc. complete in all respect as per specification and direction of the Engineer-in-charge.	37.36	One Cum	4291.81	Rs. 160,342.02
9)	Providing 16mm thick cement plaster with CM (1:6) with screened and washed sharp sand for mortar and finished smooth to the rough surface of walls in all heights after racking out joints including watering and curing, rounding of corners, provideing grooves where ever necessary with cost, conveyance, royalties and taxes of all materials with cost of all labour, T&P and scaffolding required for the work etc. complete in all respect as directed by the Engineer-in-Charge.	299.13	One Sqm	204.45	Rs. 61,157.13

10)	Providing 12mm thick cement plaster with CM (1:6) with screened and washed sharp sand for mortar and finished smooth to the rough surface of walls in all heights after racking out joints including watering and curing, rounding of corners, providing grooves where ever necessary with cost, conveyance, royalties and taxes of all materials with cost of all labour, T&P and scaffolding required for the work etc. complete in all respect as directed by the Engineer-in-Charge.	141.14	One Sqm	143.28	Rs.	20,222.54
11)	Providing 20 mm thick plaster (1:6) with stone work with screened and washed sharp sand for mortar and finished smooth including closed deep chipping and slurry including watering and curing, with cost, conveyance, royalties and taxes of all materials with cost of all labour, T&P, and scaffolding required for the work etc. complete in all respect as directed by the Engineer in charge.	41.50	One Sqm	214.92	Rs.	8,919.18
12)	Providing 2.5cm thick Grading Concrete over roof slab with cement concrete (1:2:2) using 6mm size black hard granite crusher broken chips and screened & washed sharp sand for mortar and finished smooth to the rough surface of slab including watering and curing with cost, conveyance, royalties and taxes of all	125.23	One Sqm	299.97	Rs.	37,565.24
13)	Supplying, fitting and fixing vitrified tiles(Homogeneous) in floor of size 600mm x 600mm of approved make conforming to IS: 13755 laid on 20mm thick bed of C.M. (1:4) (1 cement: 4 course sand) and filling the joints with white cement of approved quality including cost of all materials , conveyance, taxes, labour, T&P etc. required for the work in all respect as directed by Engineer in Charge.	82.94	One Sqm	965.43	Rs.	80,072.76
14)	Providing fitting & fixing of Ceramic tiles having size 20cmx30cm special plain ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753 in dado on 12mm thick cement plaster (1:3) (1cement : 3sand) joined with neat cement slurry mixed with pigment to match the shade of tiles, rubbing, polishing including cost of tiles, conveyance, taxes & labour, T&P and cess etc. complete in all respect as per specification and direction of the Engineer-in-charge	153.28	One Sqm	760.11	Rs.	116,509.66
15)	Supplying, fitting, fixing of Vitrified industrial floor Tile of premium grade having thickness 8mm to 10mm confirming to IS 4457 of size 300mmx300mm tile in floors over 20mm thick bed of C.M. (1:4) (1 cement: 4 course sand) and filling the jointed with neat cement slurry mixed with pigment to match the shade of tiles, rubbing, polishing including cost of tiles, conveyance, taxes & labour, T&P and cess etc. complete in all respect as per specification and direction of the Engineer-in-charge.	45.11	One Sqm	854.77	Rs.	38,558.67
16)	Priming one coat to wall surface using oil bound cement primer including cost, conveyance all materials, labour and T & P etc complete.	242.60	One Sqm	60.38	Rs.	14,648.19

17)	Painting two coats with approved Plstic emulsion paint (I.S.I) paint (1st quality) of approved make & shade manufactured by reputed manufacture like Nerolac/ Asian/ Berger/ Dulex or equivalent to make an even finished surface in all heights with all scaffolding and staging charges including, cost, conveyances, taxes of all materials and cost of all labour with T&P etc, complete as per specification & direction of Engineer-in-charge.	242.60	One Sqm	78.84	Rs.	19,126.58
18)	Finishing wall surface of walls with Acrylic wall putty (Cement based ) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes, labour T&P etc complete.	242.60	One Sqm	67.52	Rs.	16,380.35
19)	Painting two coats with approved weather coats (I.S.I) paint (1st quality) exterior grade of approved make & shade manufactured by reputed manufacture like Nerolac/ Asian/ Berger/ Dulex or equivalent to make an even finished surface over a coat of primer with oil bond cement primer in all heights with all scaffolding and staging charges including, cost, conveyances, taxes of all materials and cost of all labour with T&P etc, complete as per specification & direction of Engineer-in-charge.	182.64	One Sqm	132.83	Rs.	24,260.07
20)	Painting two coats with synthetic enamel paint of approved shade over a coat of primer to new iron doors & windows and grills including sand papering, polishing the surface smooth to give an even shade with cost of paints, conveyance, taxes of all materials and labour with T&P required for the work etc. complet as per the direction of EIC.	26.07	One Sqm	138.29	Rs.	3,605.22
21)	Providing , fitting & fixing of Al. door with OEL anodized Al. door section of 9202 aas vertical member, 9201 as top member and 9200 as bottom and middle member and 12mm thick prelaminated board in botttom and top portion fixed on door frame by means of tapered clip No.4660 and frame to be completed bt means of jointing angle No.1855 including all cost of labour T & P hire charges of drilling machine labour charges etc complete.	233.49	One Kg	433.80	Rs.	101,287.96
22)	Supplying, fitting, fixing up window (sliding type)made up aluminum Section 9778 as windows frame, section No.4095, 4096 & 9777, 3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including lucking arrangement including all fitting including cost of materials all taxes,cess labour, T&P but excluding cost of glass etc. complete and as per direction of Engineer-in-charge.	69.28	One Kg	598.80	Rs.	41,484.86

23)	Supplying, fitting and fixing of Stainless steel of 304 grade in hand railing using 50mm dia of 2mm thick circular pipe with Balustrade of size 32mm x 32mm x 2mm @ 0.90mtr. C/C and stainless square pipe bracing of size 32mm x 32mm x 2mm in 3 rows in stair case as per approved design and specification, buffing, polishing etc with cost, conveyance, taxes of all materials, cost of all labour, T&P etc. required for the complete in all respect as per direction of the Engineer-in-charge.	128.36	One Kg	287.45	Rs.	36,897.08
24)	Supplying, fitting and fixing of 5 mm thick black glass (I.S.I) in aluminium window frames including cutting grooves etc. complete in all floors and as per direction of Engineer-in-charge.	16.20	One Sqm	552.34	Rs.	8,947.91
25)	Supplying, fitting and fixing of 12 mm Pre-laminated Particle Board (standard type) I.S.I in aluminium frames including cutting grooves etc. complete in all floors and as per direction of Engineer-in-charge.	6.71	One Sqm	589.79	Rs.	3,957.49
26)	Supplying, fitting & fixing of 80mm thick Factory made Cement concrete interlocking paver block of M-35 & approved make variety colour & size made by block making machine with strong vibratory compaction of approved design and shape, laid in required colour and pattern over 50mm thick compacted bed of coarse sand, filling the joints with the sand etc all complete including cost of all materials, all labour with T&P etc required for the work complete in all respect as per the direction of the EIC	73.94	One Sqm	827.37	Rs.	61,175.74
27)	Dismantling brick or stone masonry below 3.00m height in lime or cement including stacking & useful materials and the removing debries within 50m lead.	79.47	One Cum	1126.03	Rs.	89,485.60
<b>TOTAL AMOUNT PUT TO TENDER</b>		<b>Total</b>			<b>Rs.</b>	<b>2,041,558.95</b>
		<b>Round To</b>			<b>Rs.</b>	<b>2,041,559.00</b>

NUMBER OF ITEMS:-27(TWENTY SEVEN) ONLY

(Rupees twenty lakh forty one thousand five hundred fifty nine)Only

Remarks:- TENDER RATE QUOTED EXCESS THEN THE ABOVE TENDER AMOUNT WILL NOT BE ACCEPTED

**PERCENTAGE RATE TO BE QUOTED BY THE TENDERER:-**

\_\_\_\_\_ % LESS

THEN THE ABOVE TENDER AMOUNT PUT TO TENDER

(QUOTED RATE BOTH IN FIGURE & WORDS CLEARLY)

*19/10/22*  
**Block Development Officer**  
**Bolpuriguda, Dist: Koraput**

**SIGNATURE OF THE CONTRACTOR**