



ପଞ୍ଚାୟତ ସମିତି କାର୍ଯ୍ୟାଳୟ, ଲକ୍ଷ୍ମୀପୁର  
**Office of the Panchayat Samiti, Laxmipur**

E-mail Id.: - [ori-laxmipur@nic.in](mailto:ori-laxmipur@nic.in)

Phone No.: - 06855 268518

Letter No. 4305 / 2023

Dated.04.12.2023

**Corrigendum to**


**The Short Sealed Limited Quotation Notice no.4177/2023, dated.23.11.23**

The Panchayat Samiti, Laxmipur had invited Sealed Limited quotations from reputed Indian Manufacturers/ Suppliers / Agencies, their authorized dealers / DGS&D approved registered Firms for "Supply and Installation of 65" inch Interactive Panel Display and Science Instruments (for Science Lab) at 5T High Schools of Laxmipur Block (4<sup>th</sup> Phase), " as per the description below vide this office Short Sealed Limited Quotation Notice No.4177/2023, dated.23.11.2023.

**INTER ACTIVE PANELS DISPLAY**

LIST OF ITEMS FOR 5T HIGH SCHOOLS OF LAXMIPUR BLOCK					
Sl No	Name of the School	Items	Brand/Company	Nos of Items required	Specifications
1	Govt. High School Lulupadar	Inter Active Panel Display	Any reputed Brand (preferably LG & SAMSUNG)	2	65" Inch
2	SSD Govt. Girls High School Burja	Inter Active Panel Display	Any reputed Brand (preferably LG & SAMSUNG)	2	65" Inch
3	Sangana High School, Laxmipur	Inter Active Panel Display	Any reputed Brand (preferably LG & SAMSUNG)	16	65" Inch
4	Laxmipur Degree College, Laxmipur	Inter Active Panel Display	Any reputed Brand (preferably LG & SAMSUNG)	4	65" Inch
	Total			24	

**NB:** please refer to (<http://www.koraput.nic.in>) for apply the tender and also for additional information


  
Block Development Officer  
Laxmipur  
Block Development Officer  
Laxmipur (Koraput)

However, the technical specifications provided in the last quotation call has been amended as per the list mentioned below. Therefore, all the applicants are requested kindly apply the Quotations keeping in mind about the amended Technical Specifications.

Technical Specification of Interactive Flat Panel			
PANEL	Screen Size		65"
	Panel Technology		IPS
	Back Light Type		Direct
	Aspect Ratio		16:9
	Native Resolution		3840x2160 (UHD)
	Refresh Rate		60Hz
	* Brightness		440 nit or Higher (w Glass, type)
	* Contrast Ratio		5000:1
	Color gamut		NTSC 68%
	Viewing Angle (H x V)		178 X 178
	Color Depth		10bit, 1.07Billion colors
	Response Time		8ms (G to G)
	Surface Treatment (Haze)		Anti-Glare, 7H(Mohs)
	Life time		30,000 Hrs. (Min.)
	Operation Hours (Hours/Day)		16/7
	Portrait / Landscape		X / O
* Screen sharing on Panel		Yes	
Connectivity (Jack Interface)	Input	Digital   HDMI	O (3), HDCP2.2/1.4
		USB	USB 3.0 Type A (3) USB 2.0 Type A (3)
		Audio Out	O (1), Optical O (1)
		Touch USB	O (2)
Key Feature	HW	Internal Memory	32GB
		Wi-Fi   Built-in	Yes
		* LAN	10/100/1000 Mbps
		*	10/100/1000 in OPS
		Power Indicator	Yes
		Local Key Operation	Yes
	SW	webOS ver.	Android 8.0
		Screen Share	O (Screenshare pro)
Environment Conditions	Operation Temperature		0 °C to 40 °C
	Operation Humidity		10% to 80%
POWER	Power Supply		AC 100-240V~, 50/60Hz
	Power Type		Built-In Power
Power Consumption	Typ.		180W
	Max.		300W.
	Power off		0.5W↓
SOUND	Speaker		O (10W x 2)
CERTIFICATION	Safety		CB / NRTL
	EMC		FCC Class "A" / CE
	ERP		Yes
*OPS Compatibility	OPS type compatible		Yes (10/100/1000)
	OPS Power built in		Yes

	Touch	Available object size for touch	Ø3 mm ↑.
		Response Time (PC Win10)	60ms ↓ (Android). 100ms ↓ (Windows).
		Accuracy	±2mm
		Interface	USB2.0
		Active Pen Interface	N/A
		Protection Glass Thickness	4T (Anti-Glare)
		Protection Glass Transmission	87%
		Operating System Support	Windows 7/8/10/Windows XP/Linux/Mac/Android (Windows XP/Linux/Mac Support one point touch)
		Multi touch point	Max 20 Points
* DMS		Yes	
* AMS		Yes	
* Eye Care Enable		Yes	
* GPU		G52 standard	

**NB:** please refer to (<http://www.koraput.nic.in>) for apply the tender and also for additional information

  
 Block Development Officer  
 Block Development Office  
 Laxmipur  
 Laxmipur (Koraput)