

**OFFICE OF THE SUPERINTENDENT****SAHEED LAXMAN NAYAK MEDICAL COLLEGE AND HOSPITAL, KORAPUT**

Tel.No.06852 252121

E-mail: supdtslnmchkpt.od@gov.in

No. 167 /2026Date. 08.07, 2026**SHORT TENDER CALL NOTICE**

Sealed Quotations are hereby invited from the intending Registered Authorized Firms/ Dealers/ Suppliers having valid GST Registration Certificate, PAN Card and Tax Clearance Certificate (GSTR-3B) for supply of Furniture and other items for use at Saheed Laxman Nayak Medical College & Hospital, Koraput.

Sl No.	Item Name	Specification	Price Per Unit including all expenses (Excluding GST)
01	Iron Shelf Rack	Height- 1875 mm, Width- 900 mm, No. of Shelves- 5nos Depth of Shelves- 400mm, Shelve Material- 1.0 Thick MS Sheet conforming to commercial Quality CR-1, Grade 340 of IS 513 Angle Posts Material and Size- Steel made of clouted angle with gauge of 16	
02	Revolving Stool	Height-18" to 27" adjustable height with 4 legs Material- Stainless steel Warranty- 1 year	
03	Adjustable Revolving Chair	Medium Back Chair, PU Arm, PP Base, Gas Lift, PU Moulded Seat Cushion Net Back, Seat fabric Tapestry, Weight-16kg or more	
04	Bed Side Screen	Partition provided With curtain- Yes, Provision of folding arrangement- 4 Folds, Construction of middle section In 2 pcs and joined together at middle, Number of hinges(to join panels) - 6 Nos, Frame Material CRCA pipes of 19.05 mm (outer dia) X 1.22 mm thickness, Base material ERW steel tubes of 25 mm (outer dia) X 1.22 mm thickness, Castors wheel Plastic castors wheel, Hinges material - MS Hooks material- SS 202, Overall height- 1675 mm Overall width- 1828 mm, Side panels width - 550 mm Middle panels width - 550 mm, Curtain type Stain retardant cubical curtains, Curtain material- Cotton fabric Warranty period - 1Year, OEM of offered product is ISO 9000: 1certified Yes, Product having BIFMA certification No	
05	General Dustbin	Material- HDPE with foot operated pedal Capacity- 10 litre or more	
06	Bucket	Governing Specification: Conforming to IS 3730, Bucket body material : Coloured HDPE, Food Grade quality material bucket: Yes, Capacity per Bucket (Litres): 16 Shape ( when viewed from top): Round, Grade of HDPE handle (as per IS 7328): 45 MA, Handle material- HDPE	
07	Mug	Material Natural: HDPE, Food Grade quality Material: Yes, Shape: Round Cylinder, Capacity (ml): 1251-1500 Weight of Mug (Grams): 76-100	
08	Almirah	Steel Shelving Cabinet made out of 1 mm C.R. Sheet with shelves (adjustable type), door handle, 6 lever lock with 3 way bolting system, one coat of primer and two coats of enamel paint without stove enamelling of the	

		<p>components, conforming to I.S. No.3312/2021. Width of the pedestal shall be 70 mm for small size and 80 mm for large size and the height of the pedestal shall be 125 ± 5 mm. Over all dimensions in mm/ inch.</p> <p>Size- 1981 (78") (H) x 914 (36") (W) x 483 (19") (D) with four shelves. (The minimum weight of the above size shall be 78.500 Kg.)</p>	
09	Marker	White Board Marker	
10	Window Screen	Material of the curtain- Polyester, GSM- 220 Pattern- Solid, Length (in feet)- 3.5 to 4 Width (in feet)- 3 to 3.5	
11	Door Screen	Material of the curtain- Polyester GSM- 220 Pattern- Solid Length (in feet)- 6.5 to 7 Width (in feet)- 3 to 3.5	
12	Turkish Towel	Size Length and Width- 132 cm x 68 cm	
13	Turkish Towel	Size Length and Width-45cmx 45cm	
14	 BMW Dustbin Trolley	<p>Material: Mild Steel, Strong frame for long-term use Finish: Powder coated (anti-corrosion) Design:</p> <ul style="list-style-type: none"> <li>• Robust welded frame</li> <li>• Slots to securely hold 60 L bins</li> <li>• Reinforced crossbars for strength</li> </ul> <p>Mobility: 4 swivel caster wheels (usually 2 with brakes), 2 with brakes for parking stability Wheel Material: Rubber or polyurethane Handle: Side push handle for easy manoeuvring Dimensions: Length: 1350 – 1450 mm, Depth: 500 – 600 mm, Height: 900 – 1000 mm Easy to move even when fully loaded</p>	
15	Sharp Container	Capacity- 5ltr, Material- PP/LLDPE, Puncture-proof body, Autoclavable- Yes, Colour- White / Translucent body for sharps waste, Printed- Printed BIOHAZARD symbol. Safe Disposal: Designed to safely contain needles, syringes, and other sharp medical waste.	
16	Mattress	<p>Coir Mattress Adult: - Rexine bound Coir Mattress conforming to IS I 3489:2000, Type-2 of size approx. 75 x 36 x 3 inches flexible Polyurethane foam of thickness 12 mm should be glued to its top. Thickness of mattress is excluding of glued foam. The side edge of the rubberized coir sheet shall reinforced with a strip of 7 oz Hessian cloth which shall be pasted on it with latex rubber glue. This cover strip shall extend to at least 50 mm over the top and bottom sides of the mattress all around its The Mattress should be covered with a jacket of rexine, hard foam ST Gauge 80 with navy blue colour in such a manner that the mattress shall not be able to move freely inside the jacket. All stitching shall be done with thread of Nylon 120 grade with tying tapes. Grade of rubberized coir sheet should be firm with density of 70 gm per dm<sup>3</sup> and indentation hardness index 9.00 to 11.99. Rubberized coir sheets should confirm to IS 8391 Part-1) : 2019 or latest. Warranty- 2 years</p>	

	Air mattress	Length-200 cm – 225 cm, Width- 80cm- 100cm Depth- 10cm-12cm, Weight- Minimum 1kg, Material- PVC (Polyvinyl chloride), Load capacity- 200kg Type of Mattress- Spiral or Tubular, Replaceable Tubular Cell- Yes, Number of Static Tubular cell- 25, Number of Dynamic Tubular cell- 25, End Flaps for secure Fixing- Yes, Water Proof and Washable- Yes, Repair kit including- Yes, Air Pump included- Yes, Pump air flow in Litres Per Minute (LPM)- 5, Cycle time of inflation & deflation (in Minutes)- 9, Fold away hanging hooks or built in brackets for mounting easily to bed- Yes, Pressure control for pump- Automatic, User guidelines should be printed on pump- Yes, Warranty-5 years	
17	Table	Metal Table Office Type (composite office table) conforming to IS8126/93 and top made out of 18mm thick ISI Marked Pre- laminated Board, suitable for Office table top application with the following specifications. a. Frame & Foot rest made out of ERW mild steel square tube, size:25 x 25 x 1.25 mm. b. Top made out of ISI Marked 18mm thick pre-laminated MDF board as per IS-12406/1988 for Office table applications. c. Drawer Box made of 1mm thick C.R. Sheet. d. Lock — The lock shall be 6 levers with duplicate keys of non-corrosive materials conforming to IS: 729/79. e. Handle: Each drawer shall be fitted with corrosion resistant metal handle. f. Knee space width — 560 mm (min). <u>Size Of The Table</u> : 1219 mm (48")(W) x 610 mm (24")(D) x 762mm (30")(H) with three drawers. Drawer Box Size :- 559mm (22")(D) x 356mm(14")(W) x 432mm (17")H.	
18	Plastic Chair	Dimension-570mm x 607mm x 900 mm with armrest, weight capacity- 200kg	
19	Refrigerator	Conformity to Indian Standard: IS 17550, Refrigerating Appliance Technology: Direct cool, Total Volume for Direct Cool: 176- 194, Type of Door: Single, BEE Star Rating (Note- Ratings are valid for a specific duration of time and may undergo revisions from time to time)- 3 star or above, Warranty on Product (Year)- 3, Warranty on Compressor (Year)- 10	
20	Water Filter	Type of purifier: With storage, Number of filtration stages: Two, Type of main filtering cartridge: Hollow Fibre MF (Micro Filtration) with activated carbon filter Filtering Technology: Suction, Minimum Size of filtering particles (Microns): 0.1 micrometre, Maximum filtration rate (Ltrs/min): 1 litre, Life of Filtering cartridge (Ltrs):10000 litre, Purifier Storage facility: Bottle, Body material of purifier: Plastic, food grade, Life of Filtering cartridge (Ltrs)-10000 or more, Purification by removing water borne bacteria (%)-99.999999 inch, Minimum Size of filtering particles (Microns)- 0.1 micrometre, Maximum filtration rate (Ltrs /min)- 1 litre or more, Warranty period (Yrs):3	
21	Cartridge	PLH-218	

The Firms should quote their rate per unit and tax separately. The sealed quotation super scribed as “Short Tender Call Notice for supply of Furniture and other items for use at SLNMCH, Koraput”

should reach the Office of the undersigned by 27.01.2026 at 5:30 P.M. through Speed Post/ Regd. Post/ Courier only. The quotations received beyond the scheduled date and time will not be considered under any circumstances. The sealed quotation received by the undersigned will be opened on Dtd: 28-01-2026 at 12.30 PM. The tenderer/bidder or their authorized representatives are allowed to be present during the opening of the tenders, if they so like. The payment shall be made after obtaining satisfactory installation certificate from the user end. The evaluation of L-1 bidder will be made on the basis of quoted amount for individual items. The undersigned reserves the right to cancel/reject any or all the quotation without assigning any reason thereof.

**Documents to be submitted**

1. GST Details
2. Copy of PAN
3. Tax Clearance details (GSTR-3B)

**Memo No:** 168

Copy to the E- Governance Officer, Koraput for information and necessary action. He is requested to float the Quotation Tender Call Notice in Koraput District Web site- [www.koraput.odisha.gov.in](http://www.koraput.odisha.gov.in) at an early date for wide circulation.

**Memo No:** 169

Copy to notice board of this office.

  
**Medical Superintendent  
SLNMCH, Koraput  
Date: 08.01.2026**

  
**Medical Superintendent  
SLNMCH, Koraput  
Date: 08.01.2026**

  
**Medical Superintendent  
SLNMCH, Koraput**